

AP3 Rec'd PCT/PTO 19 JUN 2005

ELECTRONIC BARTERING

[0001] This application hereby claims priority to United States Provisional Patent Application Serial Number 60/532,629, entitled "Electronic Bartering," which is hereby incorporated by reference.

FIELD OF THE INVENTION

[0002] The present invention relates, in general, to the exchange of goods between parties utilizing a wired or wireless communication network, including but not limited to the internet. In particular, the present invention is a system and method for facilitating barter
5 transactions.

[0003]

BACKGROUND OF THE INVENTION

[0004] Bartering is a trade between two parties that typically involves the exchange of one commodity for another commodity. For bartering to benefit both parties, the trade must be a
10 "fair" exchange. Thus, the exchanged commodities must have an equal value.

[0005] Bartering is the basis for most systems of commerce. The American colonists relied primarily on a bartering system due to the scarcity of standardized coin or paper money to exchange beaver pelts, corn, musket balls, nails, tobacco, and deerskins. More recently, people rely upon a bartering system to trade baseball cards, football cards, postage stamps, audio and
15 video recordings, video game cartridges, and books.

BEST AVAILABLE COPY**BEST AVAILABLE**

[0006] The commercial availability of the Internet and World Wide Web has spawned an electronic commerce revolution. Businesses throughout the world use electronic information technologies to conduct business with their trading partners. Some businesses use a standardized form of electronic data interchange (EDI) to communicate with their trading partners, negotiate
5 and complete trades, and manage inventories. Other businesses rely on electronic commerce technology to advertise their product, provide a forum for customers to shop, and take and fulfill orders from the customers.

[0007] There is a need for an electronic bartering system and method for facilitating a trade of an item owned by one person connected to a network for an item owned by another
10 person connected to the network. The present invention addresses this need.

SUMMARY OF THE INVENTION

[0008] The system and method will rely upon the electronic commerce basis of the Internet to allow a user to publicize (1) a list of items that the user is requesting from other users, and (2) a list of items that the user has posted on the system for bartering. The other users can
15 select from the list of items that the user has posted those items for which they want to trade. The system and method allow a user to peruse the aggregated collection of all users. Also, the systems only allows one user to view the collection of another user when a potential trade is in place. The system and method also allows either party to the trade to decline a trade based on a trading history of the other party to the trade, the items available in that party's collection, and/or
20 the stated condition of said items.

[0009] A computer system, method and computer program product for facilitating a trade of a first item owned by a first user for a second item owned by a second user when the first user and the second user are connected to a network. The method comprises receiving a request from the first user, allowing the second user to access items owned by the first user, receiving a
5 response from the second user, and receiving an acceptance from the first user. The request identifies the second item and is a potential trade request. The response identifies the first item and is a trade offer. The trade comprises the potential trade request, the trade offer, and the acceptance. Completion of the trade further includes receiving a confirmation from both the first user and the second user.

10 **BRIEF DESCRIPTION OF THE DRAWINGS**

[0010] The accompanying figures best illustrate the details of the electronic bartering system and method for facilitating a trade of a first item owned by a first user for a second item owned by a second user, both as to its structure and operation. Like reference numbers and designations in these figures refer to like elements.

15 [0011] Figure 1 is a network diagram that illustrates the hardware components that form the operating platform for one embodiment of an electronic bartering system for facilitating a trade of a first item owned by a first user for a second item owned by a second user.

[0012] Figure 2 is a block diagram that illustrates the hardware and software components comprising server computer shown in Figure 1.

[0013] Figure 3 is a flow diagram of an embodiment of a process that facilitates a trade of a first item owned by a first user for a second item owned by a second user.

[0014] Figures 4A1–4G are exemplary screen representations according to an implementation of bartering system that demonstrates requesting an item from another user and
5 accepting a trade offer in response.

[0015] Figures 5A–5H are exemplary screen images from an implementation of bartering system that demonstrates receiving a potential trade request from another user and issuing a trade offer in response.

DETAILED DESCRIPTION OF THE INVENTION

10 [0016] Figure 1 is a network diagram that illustrates the hardware components that form the operating platform for one embodiment of an electronic bartering system for facilitating a trade of a first item owned by a first user for a second item owned by a second user. As shown in Figure 1, network 100 is a communication medium connecting client computer A 115, client computer B 116, bartering system 120, and Muze database 130. Bartering system 120 comprises
15 server computer 122, barter database 124, and local Muze database 126. Client computer A 115 is a general-purpose personal computer, workstation, or laptop configured to connect to network 100. User A 110 operates client computer A 115 to communicate with server computer 122. Client computer B 116 is a general-purpose personal computer, workstation, or laptop configured to connect to network 100. User B 111 operates client computer B 116 to communicate with
20 server computer 122. Server computer 122 is a general-purpose network computer that manages network resources and accepts connections from devices such as client computer A 115 and

client computer B 116 via network 100. Server computer 122 connects to barter database 124 to store and retrieve data related to electronic bartering transactions. Server computer 122 also connects to local Muze database 126 to retrieve data that describes the items exchanged via the electronic bartering system. Server computer 122 also connects to Muze database 130 to
5 periodically retrieve data updates for local Muze database 126. In one embodiment, the period of the updates is a configurable parameter. For example, the configuration may specify the period of the updates to occur hourly, daily, weekly, monthly, quarterly, semiannually, or annually.

[0017] Network 100 shown in Figure 1 is a public communication network. However,
10 bartering system 120 also contemplates the use of comparable network architectures. Comparable network architectures include the Public Switched Telephone Network (PSTN), a public packet-switched network carrying data and voice packets, a wireless network, and a private network. A wireless network includes a cellular network (e.g., a Time Division Multiple Access (TDMA) or Code Division Multiple Access (CDMA) network), a satellite network, and a
15 wireless Local Area Network (LAN) (e.g., a wireless fidelity (Wi-Fi) network). A private network includes a LAN, a Personal Area Network (PAN) such as a Bluetooth network, a wireless LAN, a Virtual Private Network (VPN), an intranet, or an extranet. An intranet is a private communication network that provides an organization, such as a corporation, with a secure means for trusted members of the organization to access the resources on the
20 organization's network. In contrast, an extranet is a private communication network that provides an organization, such as a corporation, with a secure means for the organization to authorize non-members of the organization to access certain resources on the organization's

network. The system also contemplates network architectures and protocols such as Ethernet, Token Ring, Systems Network Architecture, Internet Protocol, Transmission Control Protocol, User Datagram Protocol, Asynchronous Transfer Mode, and proprietary network protocols comparable to the Internet Protocol.

5 [0018] Figure 1 shows one embodiment of bartering system 120 connecting to local Muze database 126 and Muze database 130. Muze is an organization that provides information solutions that supply the core data for all commercially available music, books, videos, and games. The Muze data provides value-added information such as reviews, biographies, notes, and annotations. The Muze data provides the necessary information that consumers need to
10 make educated purchasing decisions and the crucial information that music service providers and retailers need to increase their sales and fulfill transactions. Muze database 130 is a commercial database that includes descriptions of the items that user A 110 and user B 111 may exchange via the electronic bartering system. For example, Muze database 130 includes a movie database, an audio database, a book database, and a video-game database. In another embodiment, Muze
15 database 130 includes one or more commercial databases, where each commercial database includes data for a specific type of item. In yet another embodiment, Muze database 130 is a web portal that supplements a commercial database with customized data. In other embodiments, bartering system 120 may connect to any media database that will provide similar information to local Muze database 126 and Muze database 130. In yet other embodiments,
20 bartering system 120 retrieves real-time data from Muze database 130 and does not require a connection to local Muze database 126.

[0019] Figure 2 is a block diagram that illustrates the hardware and software components comprising server computer 122 shown in Figure 1. Server computer 122 is a general-purpose network computer that manages network resources and accepts connections from devices such as client computer A 115 and client computer B 116 via network 100. Bus 200 is a communication
5 medium that connects central processing unit (CPU) 201, data storage 202, and network adapter 203 to memory 210. Network adapter 203 also connects to barter database 124, local Muze database 126, and network 100 and is the mechanism that facilitates the passage of network traffic between bartering system 120 and barter database 124, local Muze database 126, and network 100. CPU 201 performs the disclosed methods by executing the sequences of
10 operational instructions that comprise each computer program resident in, or operative on memory 210.

[0020] Figure 2 illustrates barter database 124, local Muze database 126, and data storage 202 as separate devices. In another embodiment, bartering system 120 stores the data in a single physical device that includes a separate logical partition for barter database 124, local Muze
15 database 126, and data storage 202. Figure 2 also illustrates barter database 124 and local Muze database 126 as external devices, however it is to be understood that in another embodiment these devices may each be internal to bartering system 120. Figure 2 also illustrates data storage 202 as an internal device, however it is to be understood that in another embodiment this device may be external to bartering system 120 and accessible via a network connection. Bartering
20 system 120 also contemplates distributing barter database 124, local Muze database 126, and data storage 202 over multiple storage devices to suit efficiency, performance, backup, and data warehousing requirements. In one embodiment, barter database 124 and local Muze database

126 utilize a relational database management system such as Oracle 9i (version 9.2) by Oracle™. Another embodiment of barter database 124 and local Muze database 126 may utilize a different database management tool that is either homegrown or publicly available and traded. Another embodiment of barter database 124 and local Muze database 126 may utilize an object-oriented
5 database management system such as FrameD, open source software provided by SourceForge.net.

[0021] In one embodiment, the configuration of memory 210 includes operating system software 211, application programs 212, Muze database interface program 213, and bartering program 214. These computer programs store intermediate results in memory 210 and transmit
10 final results via bus 200 for storage in and retrieval from barter database 124, local Muze database 126, or data storage 202. It is to be understood that in another embodiment the configuration of memory 210 may not simultaneously include these programs. CPU 201 coordinates loading a program when it is needed, storing intermediate results, transferring data from one program to another, and unloading the program when it is no longer needed.

15 [0022] Operating system software 211 manages the basic operations of server computer 122. These basic operations include apportioning memory 210, prioritizing the execution of system tasks, and managing the communication with CPU 201 and other hardware components of server computer 122. The disclosed invention contemplates the use of the MS-DOS, Unix, and Linux operating systems.

20 [0023] Application programs 212 control and supplement the interaction between a user and server computer 122. Application programs 122 include a web server, a mail server, and

network communication protocol software. User A 110 operates a web browser (e.g., Internet Explorer or Netscape Navigator) program resident on client computer A 115 to communicate with a web server (e.g., Apache) resident on server computer 122. Similarly, user B 111 operates a web browser program resident on client computer B 116 to communicate with a web server resident on server computer 122. The web server program transmits and receives data via web pages and a protocol such as the hypertext transfer protocol. The mail server resident on server computer 122 communicates with a mail reader program resident on a client computer to transmit and receive electronic mail messages. Server computer 122 executes the network communication protocol software to transmit and receive network messages with a client computer.

[0024] Muze database interface program 213 controls the interaction between web server 122 and a commercial database, such as local Muze database 126 or Muze database 130, that includes descriptions of the items that user A 110 and user B 111 may exchange via the electronic bartering system. In one embodiment, Muze database interface program 213 is an agent program that retrieves web pages from the commercial database, parses the retrieved web page to extract the data necessary for bartering system 120, and serves the parsed data to the user. In another embodiment, Muze database interface program 213 sends a specific database query to the commercial database that returns a customized result set that is forwarded to bartering system 120. Muze database interface program 213 also periodically connects to Muze database 130 to retrieve data updates for local Muze database 126. In one embodiment, the period of the updates is a configurable parameter. For example, the configuration may specify

the period of the updates to occur hourly, daily, weekly, monthly, quarterly, semiannually, or annually.

[0025] Bartering program 214 includes the program logic for controlling the negotiation of an electronic bartering transaction between two users. The electronic bartering transaction of the disclosed invention contemplates the exchange of an item owned by one user for a similar item owned by another user. In another embodiment, the electronic bartering transaction involves the exchange of an item owned by one user for an item of equal value owned by another user. In one embodiment, the item of equal value is an item of the same type, but in a different condition (e.g., exchanging a digital videodisc (DVD) in excellent condition for a DVD in used condition). In another embodiment, the item of equal value may differ in type, as well as condition (e.g., exchanging a DVD in excellent condition for a video cassette recorder (VCR) tape in excellent condition).

[0026] Figure 3 is a flow diagram of an embodiment of a process that facilitates a trade of a first item owned by a first user for a second item owned by a second user. Specifically, Figure 3 illustrates bartering program 214 running on server computer 122 to negotiate an electronic bartering transaction between user A 110 operating client computer A 111 and user B 115 operating client computer B 116.

[0027] Figure 3 illustrates a process that begins with user A 110 adding an item (step 302) and user B 111 adding an item (step 304). Server computer 122 receives data communication messages from client computer A 111 and client computer B 116 that include a description of the item being added. Server computer 122 stores each new item in barter

database 124 (step 306) and associates each item with the appropriate owner. Since each user may add as many items as necessary, it is to be understood that step 302 and step 304 may be performed as many times as necessary.

[0028] To begin the negotiation of an electronic bartering transaction, user A 110 sends a
5 request to server computer 122 for an item owned by one or more users (step 308). Server computer 122 receives the request from user A 110 and stores the request in barter database 124 (step 310). Server computer 122 determines which users own the requested item and sends a notification to each owner of the requested item that a potential trade is in progress (step 312). User B 111 receives the notification and decides whether to accept the potential trade (step 314).
10 If user B 111 decides not to accept the potential trade, the process exits. If user B 111 decides to accept the potential trade, server computer 122 permits user B to browse the list of items owned by user A 110 (step 316 and step 318). Prior to initiation of the trade, server computer 122 does not make accessible to user B 111 the list of items owned by user A 110 or any other user of bartering system 120. If user B 111 does not find any item that is of interest (step 320), the
15 process exits. If user B 111 finds an item that is of interest (step 320), user B 111 sends a trade offer to server computer 122 (step 322). Server computer 122 stores the trade offer (step 324) and sends a notification to the owner of the item of interest that user B 111 is offering to trade for the item of interest owned by user A 110 (step 326). User A 110 considers and decides whether to accept the trade offer (step 328). In various embodiments of the invention, it is possible to
20 create "pending" time limits that establish a time period during which the trade is pending. If the trade has not been accepted when the time limit expires the pending trade may be terminated. Accordingly, the parties may have to start the process over. If user A 110 decides not to accept

the trade offer, the process exits. If user A 110 decides to accept the trade offer, user A 110 sends an acceptance to server computer 122 (step 330). Server computer 122 stores the acceptance (step 332) and sends a notification to user A 110 and user B 111 that user A 110 accepted the trade offer (step 334). Subsequently, user A 110 receives the notification and
5 completes the trade (step 336) and user B 111 receives the notification and completes the trade (step 338).

[0029] Figures 4A1–4G are exemplary screen representations from an implementation of bartering system 120 that demonstrates requesting an item from another user and accepting a trade offer in response. Figure 4A1 illustrates the “Stuff I’ve Posted” web page (401) that lists
10 all of the items added by a user, “kenw.”. The list groups the items by type. As shown in Figure 4A1, the listing includes three items under the category CDs, “20 Golden Greats”, “A New Day Has Come”, and “Duets”. The types of trades supported in the implementation shown in Figure 4A1 include DVDs, CDs, Books, Video Games, VHS, and Audiobooks. To add/post a new barter item, “kenw” clicks on either of the two “Post More Stuff” links to navigate to a Post
15 More Stuff web page. As shown in Figure 4A2 (402), for each item added, “kenw” chooses a category from a menu in box 1 “Select the goods category” in “Post More Stuff” (402). “Kenw” may enter titles or keywords, such as “Golden” in box 2 to retrieve a description of the desired item from a local Muze database 126. If the search produces matches, the system lists the resulting items in the Search Results 403, in Figure 4A3. Upon finding an item to post, “kenw”
20 may click on the item, and choose a condition of the item from a pop-up menu as shown in Figure 4A3. After selecting the item’s condition, the user, “kenw” clicks on the “List Item” button in Fig. 4A4 to add the new item to the “Stuff I’ve Posted” listing.

[0030] To request an item from another user in a category in which he has posted titles, "kenw" clicks on the icon that represents the type of new item (e.g., Books) to navigate to a web page for requesting Books 405 (as in Figure 4A5). On the Books web page 405, "kenw" either browses the available titles or may enter search terms to search for a specific title from the aggregated collection of all users. If "kenw" finds a title he desires to own, he clicks on it, thus informing the owner(s) of the item of his interest in the item and inviting them to peruse his own Book collection, and causing the title to display on "kenw's" My Zunafish Home Page ("Daisy Fay..." 406 in Figure 4A6).

[0031] Figure 4B illustrates the Home Page, "My Zunafish" 406 for a bartering system

10 120. Below the icons that represent the item types (e.g., DVDs, CDs, Books, Video Games, VHS, and Audiobooks), the Home Page 406 includes a status display for the electronic bartering trades associated with a user such as "kenw", who in the following example is about to engage in a trade involving CDs. The status display has a left and a right portion. The left portion of the status display includes a list of the items that "kenw" has requested from other users, titled

15 "STUFF I WANT". The right portion of the status display includes a list of the items that other users have requested from "kenw," titled "MY STUFF REQUESTED BY OTHERS". Each item displayed in the left portion and the right portion has a status and is associated with a status symbol that displays next to the listed item. As shown in Figure 4B, the left portion of the status display indicates that "kenw" has requested the item "Medusa" from at least one other member.

20 The status symbol to the right of the item is a rectangle indicating that, as yet, none of the users who have "Medusa" listed in their "Stuff I've Posted" list have responded to "kenw" with a trade offer.

[0032] Figure 4C1 illustrates the Home Page (406) for bartering system 120 after receiving a trade offer from another user. The left portion of the status display shown in Figure 4C indicates that one of the users who own "Medusa" has responded to "kenw" with a trade offer. This indication is shown by the status symbol changing to a Zunalert 407 (i.e., a triangle).

5 The Zunalert 407 indicates that another user has responded to the item request from "kenw" by finding an item of interest in the collection owned by "kenw" and sending to "kenw" a trade offer. The Zunalert 407 also indicates that "kenw" has 24 hours to respond to the trade offer by the other user. Figure 4C2 illustrates the Home Page (406) after "kenw" clicks on "Medusa" to examine the trade offer and returns to the Home Page (406) without responding to the trade

10 offer. The status symbol 408 in Figure 4C2 has changed from a Zunalert 407 to a clock symbol 408 to indicate that a trade timer is counting down and that "kenw" has less than 24 hours to accept the trade offer from the other user.

[0033] Figure 4D illustrates the web page displayed as a result of "kenw" clicking on the item "Medusa" on the Home Page. As shown in Figure 4D, "bbloom" has the CD "Medusa" in

15 "Acceptable" condition and will trade it for the CD "Duets." The window "Trade Offer" (410) includes trading statistics for "bbloom." These statistics detail the ratings given to "bbloom" by his previous trading partners. The trade offer page 410 also includes a countdown expiration timer for the trade offer. If "kenw" decides to make this trade with "bbloom" by clicking the "Make This Trade" link, bartering system 120 will describe, as shown in Figure 4E, how to

20 complete the trade 411.

[0034] Figure 4F illustrates a “Completed Trade” web page (411). Completed Trade (411) acts as a trade receipt and also is the feedback mechanism for updating the trading statistics for a user. After receiving the item in the mail, “kenw” enters an evaluation of the trade he has just made with “bbloom”. The evaluation may include (as shown in Figure 4F) selecting a
5 Positive, Neutral, or Negative rating from a pull-down menu and entering text comments.

[0035] Figures 5A–5H are exemplary screen images from an implementation of bartering system 120 that demonstrates receiving a potential trade request from another user and issuing a trade offer in response. Figure 5A illustrates the “Stuff I’ve Posted” page (501) that lists all of the items added by user “kenw”. The list is similar to the list shown in Figure 4A1, but reflects
10 the trade of the item under the category CDs described as “Duets”. Thus, the only items in the list are under the category CDs described as “20 Golden Greats” and “A New Day Has Come”.

[0036] Figure 5B illustrates the Home Page (505) for bartering system 120. Below the icons that represent the item types, the Home Page (505) includes a status display similar to that shown in Figure 4B. As shown in Figure 5B, the left portion of the status display indicates that
15 user “kenw” has requested “Medusa” from other users and the status symbol to the right of “Medusa” is a circle 502 to indicate that the trade is complete and awaiting delivery. The right portion of the status display indicates that another user has requested the item described as “Paris My Love” from user “kenw”. The status symbol to the right of “Paris My Love” is a star to indicate that a potential trade is in progress. As shown in Figure 5C1, by clicking on the CD
20 titled “Paris My Love” in the right portion of the status display, bartering system 120 will display a web page (515) to user “kenw” that lists the CDs that user “bbloom” has available for trading.

User "kenw" browses the list and decides that the CD described as "Best Of Reba McEntire" in acceptable condition is interesting. Since the trading statistics associated with user "bbloom" are positive ("kenw" may click on history to view trading statistics), user "kenw" clicks on the item and is presented with the opportunity to send a trade offer to user "bbloom" (Figure 5C2).

5 Alternately, if the trading statistics associated with user "bbloom" were not positive, user "kenw" may click on the "Dismiss this offer" button to decline the trade offer from user "bbloom", or user "kenw" may choose the option to Decide Later, as shown in Figure 5C1. Figure 5D illustrates a confirmation message (525) that bartering system 120 displays to user "kenw" to confirm that the trade offer should be placed.

10 [0037] Figure 5E illustrates a web page (530) that bartering system 120 displays to user "kenw" if he clicks on the item "Paris My Love" on his Home Page (505) after receiving the confirmation message shown in Figure 5D. Figure 5E informs user "kenw" that he has agreed to trade his "Paris My Love" CD for the "Best Of Reba McEntire" CD owned by user "bbloom" and also shows the time remaining for "bbloom" to accept the trade offer.

15 [0038] Figure 5F illustrates the Home Page (505) for bartering system 120 after user "bbloom" accepts the trade offer. In the right portion of the status display, the status symbol to the right of the item that user "bbloom" requested, "Paris My Love" has changed to a "Trade Accepted" symbol. The "Trade Accepted" symbol indicates that user "bbloom" has accepted the trade offer shown in Figure 5E. By clicking on the item, bartering system 120 will describe, as
20 shown in Figure 5G, how to complete the trade. The system may be configured to create an

electronic mail message that user "kenw" will receive as notification that user "bbloom" has accepted the trade offer.

[0039] Although the disclosed embodiments describe a fully functioning electronic bartering system and method for facilitating a trade of an item owned by one person connected to a network for an item owned by another person connected to the network, the reader should understand that other equivalent embodiments exist. Since numerous modifications and variations will occur to those who review this disclosure, the electronic bartering system and method is not limited to the exact construction and operation illustrated and disclosed. Accordingly, this disclosure intends all suitable modifications and equivalents to fall within the scope of the claims.